

Patient Name:

Date of Birth:

Physician Name:

MRN/File No:

Date:

Weiss Symptom Record (WSR)

<i>Instructions to Informant: Check the box that best describes typical behavior</i> <i>Instructions to Physician: Symptoms rated 2 or 3 are positive and total count completed below</i>	Not at all (0)	Somewhat (1)	Pretty much (2)	Very much (3)	N/A	# items scored 2 or 3 (DSM Criteria)
ADHD COMBINED TYPE 314.01						≥6/9 IA & HI
ATTENTION 314.00						
Fails to give close attention to details, careless mistakes						
Difficulty sustaining attention in tasks or fun activities						
Does not seem to listen when spoken to directly						
Does not follow through on instructions and fails to finish work						
Difficulty organizing tasks and activities						
Avoids tasks that require sustained mental effort (boring)						
Losing things						
Easily distracted						
Forgetful in daily activities						/9 (≥6/9)
HYPERACTIVE/IMPULSIVE 314.01						
Fidgety or squirms in seat						
Leaves seat when sitting is expected						
Feels restless						
Difficulty in doing fun things quietly						
Always on the go or acts as if "driven by a motor"						
Talks excessively						
Blurts answers before questions have been completed						
Difficulty awaiting turn						
Interrupting or intruding on others						/9 (≥6/9)
OPPOSITIONAL DEFIANT DISORDER 313.81						
Loses temper						
Argues with adults						
Actively defies or refuses to comply with requests or rules						
Deliberately annoys people						
Blames others for his or her mistakes or misbehaviour						
Touchy or easily annoyed by others						
Angry or resentful						
Spiteful or vindictive						/8 (≥4/8)

	Not at all (0)	Somewhat (1)	Pretty much (2)	Very much (3)	N/A	Diagnoses
TIC DISORDERS 307.2						SEVERITY
Repetitive involuntary movements (blinking, twitching)						
Repetitive involuntary noises (throat clearing, sniffing)						
CONDUCT DISORDER 312.8						
Bullies, threatens, or intimidates others						
Initiates physical fights						
Has used a weapon (bat, brick, bottle, knife, gun)						
Physically cruel to people						
Physically cruel to animals						
Stolen while confronting a victim						
Forced someone into sexual activity						
Fire setting with the intent of damage						
Deliberately destroyed others' property						
Broken into a house, building, or car						
Often lies to obtain goods or benefits or avoid obligations						
Stealing items of nontrivial value without confronting victim						
Stays out at night despite prohibitions						
Run away from home overnight at least twice						
Truant from school						/15(≥3/15)
ANXIETY						
Worries about health, loved ones, catastrophe						300.02
Unable to relax; nervous						300.81
Chronic unexplained aches and pains						300.30
Repetitive thoughts that make no sense						
Repetitive rituals						300.01
Sudden panic attacks with intense anxiety						300.23
Excessively shy						
Refusal to do things in front of others						309.21
Refusal to go to school, work or separate from others						300.29
Unreasonable fears that interfere with activities						312.39
Pulls out hair, eyebrows						
Nail biting, picking						
Refusal to talk in public, but talks at home						mutism
DEPRESSION 296.2 (single) .3 (recurrent)						
Has been feeling sad, unhappy or depressed	Yes	No	Must be present			
No interest or pleasure in life	Yes	No	Must be present			
Feels worthless						
Has decreased energy and less productive						
Hopeless and pessimistic about the future						
Excessive feelings of guilt or self blame						
Self-injurious or suicidal thoughts						

	Not at all (0)	Somewhat (1)	Pretty much (2)	Very much (3)	N/A	Diagnoses
DEPRESSION (CONT'D)						SEVERITY
Social withdrawal						
Weight loss or weight gain						
Change in sleep patterns						≥5/9>2wks
Agitated or sluggish, slowed down						
Decreased concentration or indecisiveness						
Past suicide attempts	#	Serious				
MANIA 296.0(manic) .6(mixes) .5(depressed)						
Distinct period of consistent elevated or irritable mood	Yes		No	Must be present		
Grandiose, sudden increase in self esteem						
Decreased need for sleep						
Racing thoughts						
Too talkative and speech seems pressured						
Sudden increase in goal directed activity, agitated						≥3 >1wk
High risk activities (spending money, promiscuity)						/3 (≥3)
SOCIAL SKILLS 299						
Makes poor eye contact or unusual body language						
Failure to make peer relationships						
Lack of spontaneous sharing of enjoyment						
Lacks reciprocity or sensitivity to emotional needs of others						
Language delay or lack of language communication						
Difficulty communicating, conversing with others						
Speaks in an odd, idiosyncratic or monotonous speech						
Lack of creative, imaginative play or social imitation						
Intensely fixated on one particular interest						
Rigid sticking to nonfunctional routines or rituals						
Preoccupied with objects and parts of objects						
Repetitive motor mannerisms (hand flapping, spinning)						
PSYCHOSIS 295						
Has disorganized, illogical thoughts						
Hears voices or sees things						
Conviction that others are against or will hurt them						
People can read their thoughts, or vice versa						
Belief that the television is talking specifically to them						
A fixed belief that is out of touch with reality						
Thought sequence does not make sense						

	Not at all (0)	Somewhat (1)	Pretty much (2)	Very much (3)	N/A	Diagnoses
SUBSTANCE ABUSE						SEVERITY
Excessive alcohol (> 2 drinks/day, > 4 drinks at once)						305
Smokes cigarettes						
Daily marijuana use						
Use of any other street drugs						
Abuse of prescription drugs						
SLEEP DISORDERS 307.4						
Agitated or sluggish, slowed down						
Has difficulty falling asleep						
Has difficulty staying asleep						
Has abnormal sleep patterns during the day						347
Unanticipated falling asleep during the day						307.4
Sleep walking						307.4
Has nightmares						307.45
Falls asleep late and sleeps in late						3.27
Sleep schedule changes from day to day						
Excessive snoring						
A feeling of restless legs while trying to sleep						
Observed to have sudden kicking while asleep						780.57
Observed to have difficulty breathing at night						
ELIMINATION DISORDERS 307						
Wets the bed at night						
Wets during the day						
Soils self						
EATING DISORDERS 307						
Vomits after meals or bingeing						
Underweight and refuses to eat						307.1
Distorted body image						
Picky eater						
High junk food diet						
LEARNING DISABILITIES 315						
Delayed expressive language						
Stuttering						
Problems articulating words						315
Below grade level in reading						315.1
Below grade level in math						315.2
Trouble with writing (messy, tiring, avoids writing)						
Variable performance in school						
Underachieves at school relative to potential						315.4

	Not at all (0)	Somewhat (1)	Pretty much (2)	Very much (3)	N/A	Diagnoses
DEVELOPMENTAL COORDINATION DISORDER						
Difficulty with gross motor skills (i.e. gym, sports, biking)						
Clumsy						
Difficulty with fine motor (buttons, shoe laces, cutting)						
PERSONALITY 301						SEVERITY
Unstable interpersonal relationships						
Frantic efforts to avoid abandonment						
Recurrent suicidal ideation or attempts						
Intense anger						
Major mood swings						BPD 301.83
Impulsive self destructive or self injurious behavior						
Fragile identity or self image						
Chronic feelings of emptiness						
Transient stress related dissociation or paranoia						/9 (≥5/9)
Self centred or entitled						NPD 301.81
Deceitful, aggressive, or lack of remorse						ASP 301.7
COMMENTS:						

ADHD=attention deficit hyperactivity disorder; IA=inattentive subtype; HI=hyperactive impulsive subtype; BPD=borderline personality disorder; NPD=narcissistic personality disorder; ASP=antisocial personality disorder.

Reprinted with permission from the Diagnostic and Statistical Manual of Mental Health Disorders, Text Revision (Copyright 2000). American Psychiatric Association.

©This scale is copyrighted by Margaret Danielle Weiss, MD PhD, at the University of British Columbia. The scale can be used by clinicians and researchers free of charge and posted on the internet or replicated as needed. The scale cannot be amended. Any translations require permission of the author. Please contact Dr. Weiss at margaret.weiss@icloud.com if you wish to post the scale on the internet, use it in research or plan to create a translation.

Patient Name:
Date of Birth:
Physician Name:

MRN/File No:
Date:

Weiss Symptom Record (WSR)

<i>Instructions to Informant: Check the box that best describes typical behavior</i> <i>Instructions to Physician: Symptoms rated 2 or 3 are positive and total count completed below</i>	Not at all (0)	Somewhat (1)	Pretty much (2)	Very much (3)	N/A	# items scored 2 or 3 (DSM Criteria)
ADHD COMBINED TYPE 314.01						≥6/9 IA & HI
ATTENTION 314.00						
Fails to give close attention to details, careless mistakes						
Difficulty sustaining attention in tasks or fun activities						
Does not seem to listen when spoken to directly						
Does not follow through on instructions and fails to finish work						
Difficulty organizing tasks and activities						
Avoids tasks that require sustained mental effort (boring)						
Losing things						
Easily distracted						
Forgetful in daily activities						/9 (≥6/9)
HYPERACTIVE/IMPULSIVE 314.01						
Fidgety or squirms in seat						
Leaves seat when sitting is expected						
Feels restless						
Difficulty in doing fun things quietly						
Always on the go or acts as if "driven by a motor"						
Talks excessively						
Blurts answers before questions have been completed						
Difficulty awaiting turn						
Interrupting or intruding on others						/9 (≥6/9)
OPPOSITIONAL DEFIANT DISORDER 313.81						
Loses temper						
Argues with adults						
Actively defies or refuses to comply with requests or rules						
Deliberately annoys people						
Blames others for his or her mistakes or misbehaviour						
Touchy or easily annoyed by others						
Angry or resentful						
Spiteful or vindictive						/8 (≥4/8)

	Not at all (0)	Somewhat (1)	Pretty much (2)	Very much (3)	N/A	Diagnoses
TIC DISORDERS 307.2						SEVERITY
Repetitive involuntary movements (blinking, twitching)						
Repetitive involuntary noises (throat clearing, sniffing)						
CONDUCT DISORDER 312.8						
Bullies, threatens, or intimidates others						
Initiates physical fights						
Has used a weapon (bat, brick, bottle, knife, gun)						
Physically cruel to people						
Physically cruel to animals						
Stolen while confronting a victim						
Forced someone into sexual activity						
Fire setting with the intent of damage						
Deliberately destroyed others' property						
Broken into a house, building, or car						
Often lies to obtain goods or benefits or avoid obligations						
Stealing items of nontrivial value without confronting victim						
Stays out at night despite prohibitions						
Run away from home overnight at least twice						
Truant from school						/15(≥3/15)
ANXIETY						
Worries about health, loved ones, catastrophe						300.02
Unable to relax; nervous						300.81
Chronic unexplained aches and pains						300.30
Repetitive thoughts that make no sense						
Repetitive rituals						300.01
Sudden panic attacks with intense anxiety						300.23
Excessively shy						
Refusal to do things in front of others						309.21
Refusal to go to school, work or separate from others						300.29
Unreasonable fears that interfere with activities						312.39
Pulls out hair, eyebrows						
Nail biting, picking						
Refusal to talk in public, but talks at home						mutism
DEPRESSION 296.2 (single) .3 (recurrent)						
Has been feeling sad, unhappy or depressed	Yes	No	Must be present			
No interest or pleasure in life	Yes	No	Must be present			
Feels worthless						
Has decreased energy and less productive						
Hopeless and pessimistic about the future						
Excessive feelings of guilt or self blame						
Self-injurious or suicidal thoughts						

	Not at all (0)	Somewhat (1)	Pretty much (2)	Very much (3)	N/A	Diagnoses
DEPRESSION (CONT'D)						SEVERITY
Social withdrawal						
Weight loss or weight gain						
Change in sleep patterns						≥5/9>2wks
Agitated or sluggish, slowed down						
Decreased concentration or indecisiveness						
Past suicide attempts	#	Serious				
MANIA 296.0(manic) .6(mixes) .5(depressed)						
Distinct period of consistent elevated or irritable mood	Yes		No	Must be present		
Grandiose, sudden increase in self esteem						
Decreased need for sleep						
Racing thoughts						
Too talkative and speech seems pressured						
Sudden increase in goal directed activity, agitated						≥3 >1wk
High risk activities (spending money, promiscuity)						/3 (≥3)
SOCIAL SKILLS 299						
Makes poor eye contact or unusual body language						
Failure to make peer relationships						
Lack of spontaneous sharing of enjoyment						
Lacks reciprocity or sensitivity to emotional needs of others						
Language delay or lack of language communication						
Difficulty communicating, conversing with others						
Speaks in an odd, idiosyncratic or monotonous speech						
Lack of creative, imaginative play or social imitation						
Intensely fixated on one particular interest						
Rigid sticking to nonfunctional routines or rituals						
Preoccupied with objects and parts of objects						
Repetitive motor mannerisms (hand flapping, spinning)						
PSYCHOSIS 295						
Has disorganized, illogical thoughts						
Hears voices or sees things						
Conviction that others are against or will hurt them						
People can read their thoughts, or vice versa						
Belief that the television is talking specifically to them						
A fixed belief that is out of touch with reality						
Thought sequence does not make sense						

	Not at all (0)	Somewhat (1)	Pretty much (2)	Very much (3)	N/A	Diagnoses
SUBSTANCE ABUSE						SEVERITY
Excessive alcohol (> 2 drinks/day, > 4 drinks at once)						305
Smokes cigarettes						
Daily marijuana use						
Use of any other street drugs						
Abuse of prescription drugs						
SLEEP DISORDERS 307.4						
Agitated or sluggish, slowed down						
Has difficulty falling asleep						
Has difficulty staying asleep						
Has abnormal sleep patterns during the day						347
Unanticipated falling asleep during the day						307.4
Sleep walking						307.4
Has nightmares						307.45
Falls asleep late and sleeps in late						3.27
Sleep schedule changes from day to day						
Excessive snoring						
A feeling of restless legs while trying to sleep						
Observed to have sudden kicking while asleep						780.57
Observed to have difficulty breathing at night						
ELIMINATION DISORDERS 307						
Wets the bed at night						
Wets during the day						
Soils self						
EATING DISORDERS 307						
Vomits after meals or bingeing						
Underweight and refuses to eat						307.1
Distorted body image						
Picky eater						
High junk food diet						
LEARNING DISABILITIES 315						
Delayed expressive language						
Stuttering						
Problems articulating words						315
Below grade level in reading						315.1
Below grade level in math						315.2
Trouble with writing (messy, tiring, avoids writing)						
Variable performance in school						
Underachieves at school relative to potential						315.4

	Not at all (0)	Somewhat (1)	Pretty much (2)	Very much (3)	N/A	Diagnoses
DEVELOPMENTAL COORDINATION DISORDER						
Difficulty with gross motor skills (i.e. gym, sports, biking)						
Clumsy						
Difficulty with fine motor (buttons, shoe laces, cutting)						
PERSONALITY 301						SEVERITY
Unstable interpersonal relationships						
Frantic efforts to avoid abandonment						
Recurrent suicidal ideation or attempts						
Intense anger						
Major mood swings						BPD 301.83
Impulsive self destructive or self injurious behavior						
Fragile identity or self image						
Chronic feelings of emptiness						
Transient stress related dissociation or paranoia						/9 (≥5/9)
Self centred or entitled						NPD 301.81
Deceitful, aggressive, or lack of remorse						ASP 301.7
COMMENTS:						

ADHD=attention deficit hyperactivity disorder; IA=inattentive subtype; HI=hyperactive impulsive subtype; BPD=borderline personality disorder; NPD=narcissistic personality disorder; ASP=antisocial personality disorder.

Reprinted with permission from the Diagnostic and Statistical Manual of Mental Health Disorders, Text Revision (Copyright 2000). American Psychiatric Association.

©This scale is copyrighted by Margaret Danielle Weiss, MD PhD, at the University of British Columbia. The scale can be used by clinicians and researchers free of charge and posted on the internet or replicated as needed. The scale cannot be amended. Any translations require permission of the author. Please contact Dr. Weiss at margaret.weiss@icloud.com if you wish to post the scale on the internet, use it in research or plan to create a translation.

Patient Name:

Date of Birth:

Physician Name:

MRN/File No:

Date:

WEISS FUNCTIONAL IMPAIRMENT RATING SCALE – PARENT REPORT (WFIRS-P)

Your name: _____ Relationship to child: _____

Circle the number for the rating that best describes how your child's emotional or behavioural problems have affected each item in the last month.

		Never or not at all	Sometimes or somewhat	Often or much	Very often or very much	n/a
A	FAMILY					
1	Having problems with brothers & sisters	0	1	2	3	n/a
2	Causing problems between parents	0	1	2	3	n/a
3	Takes time away from family members' work or activities	0	1	2	3	n/a
4	Causing fighting in the family	0	1	2	3	n/a
5	Isolating the family from friends and social activities	0	1	2	3	n/a
6	Makes it hard for the family to have fun together	0	1	2	3	n/a
7	Makes parenting difficult	0	1	2	3	n/a
8	Makes it hard to give fair attention to all family members	0	1	2	3	n/a
9	Provokes others to hit or scream at him/her	0	1	2	3	n/a
10	Costs the family more money	0	1	2	3	n/a
B	SCHOOL					
	Learning					
1	Makes it difficult to keep up with schoolwork	0	1	2	3	n/a
2	Needs extra help at school	0	1	2	3	n/a
3	Needs tutoring	0	1	2	3	n/a
4	Receives grades that are not as good as his/her ability	0	1	2	3	n/a
	Behaviour					
1	Causes problems for the teacher in the classroom	0	1	2	3	n/a
2	Receives "time-out" or removal from the classroom	0	1	2	3	n/a
3	Having problems in the school yard	0	1	2	3	n/a
4	Receives detentions (during or after school)	0	1	2	3	n/a
5	Suspended or expelled from school	0	1	2	3	n/a
6	Misses classes or is late for school	0	1	2	3	n/a
C	LIFE SKILLS					
1	Excessive use of TV, computer, or video games	0	1	2	3	n/a
2	Keeping clean, brushing teeth, brushing hair, bathing, etc.	0	1	2	3	n/a
3	Problems getting ready for school	0	1	2	3	n/a

		Never or not at all	Sometimes or somewhat	Often or much	Very often or very much	n/a
4	Problems getting ready for bed	0	1	2	3	n/a
5	Problems with eating (picky eater, junk food)	0	1	2	3	n/a
6	Problems with sleeping	0	1	2	3	n/a
7	Gets hurt or injured	0	1	2	3	n/a
8	Avoids exercise	0	1	2	3	n/a
9	Needs more medical care	0	1	2	3	n/a
10	Has trouble taking medication, getting needles or visiting the doctor/dentist	0	1	2	3	n/a
D	CHILD'S SELF-CONCEPT					
1	My child feels bad about himself/herself	0	1	2	3	n/a
2	My child does not have enough fun	0	1	2	3	n/a
3	My child is not happy with his/her life	0	1	2	3	n/a
E	SOCIAL ACTIVITIES					
1	Being teased or bullied by other children	0	1	2	3	n/a
2	Teases or bullies other children	0	1	2	3	n/a
3	Problems getting along with other children	0	1	2	3	n/a
4	Problems participating in after-school activities (sports, music, clubs)	0	1	2	3	n/a
5	Problems making new friends	0	1	2	3	n/a
6	Problems keeping friends	0	1	2	3	n/a
7	Difficulty with parties (not invited, avoids them, misbehaves)	0	1	2	3	n/a
F	RISKY ACTIVITIES					
1	Easily led by other children (peer pressure)	0	1	2	3	n/a
2	Breaking or damaging things	0	1	2	3	n/a
3	Doing things that are illegal	0	1	2	3	n/a
4	Being involved with the police	0	1	2	3	n/a
5	Smoking cigarettes	0	1	2	3	n/a
6	Taking illegal drugs	0	1	2	3	n/a
7	Doing dangerous things	0	1	2	3	n/a
8	Causes injury to others	0	1	2	3	n/a
9	Says mean or inappropriate things	0	1	2	3	n/a
10	Sexually inappropriate behaviour	0	1	2	3	n/a

SCORING:

1. Number of items scored 2 or 3
or
2. Total score
or
3. Mean score

DO NOT WRITE IN THIS AREA

- A. Family
- B. School Learning Behaviour
- C. Life skills
- D. Child's self-concept
- E. Social activities
- F. Risky activities

Total

This scale is copyrighted by Margaret Danielle Weiss, MD PhD, at the University of British Columbia. The scale can be used by clinicians and researchers free of charge and can be posted on the internet or replicated as needed. Please contact Dr. Weiss at margaret.weiss@icloud.com if you wish to post the scale on the internet, use it in research or plan to create a translation.

Patient Name:

Date of Birth:

Physician Name:

MRN/File No:

Date:

WEISS FUNCTIONAL IMPAIRMENT RATING SCALE – PARENT REPORT (WFIRS-P)

Your name: _____ Relationship to child: _____

Circle the number for the rating that best describes how your child's emotional or behavioural problems have affected each item in the last month.

		Never or not at all	Sometimes or somewhat	Often or much	Very often or very much	n/a
A	FAMILY					
1	Having problems with brothers & sisters	0	1	2	3	n/a
2	Causing problems between parents	0	1	2	3	n/a
3	Takes time away from family members' work or activities	0	1	2	3	n/a
4	Causing fighting in the family	0	1	2	3	n/a
5	Isolating the family from friends and social activities	0	1	2	3	n/a
6	Makes it hard for the family to have fun together	0	1	2	3	n/a
7	Makes parenting difficult	0	1	2	3	n/a
8	Makes it hard to give fair attention to all family members	0	1	2	3	n/a
9	Provokes others to hit or scream at him/her	0	1	2	3	n/a
10	Costs the family more money	0	1	2	3	n/a
B	SCHOOL					
	Learning					
1	Makes it difficult to keep up with schoolwork	0	1	2	3	n/a
2	Needs extra help at school	0	1	2	3	n/a
3	Needs tutoring	0	1	2	3	n/a
4	Receives grades that are not as good as his/her ability	0	1	2	3	n/a
	Behaviour					
1	Causes problems for the teacher in the classroom	0	1	2	3	n/a
2	Receives "time-out" or removal from the classroom	0	1	2	3	n/a
3	Having problems in the school yard	0	1	2	3	n/a
4	Receives detentions (during or after school)	0	1	2	3	n/a
5	Suspended or expelled from school	0	1	2	3	n/a
6	Misses classes or is late for school	0	1	2	3	n/a
C	LIFE SKILLS					
1	Excessive use of TV, computer, or video games	0	1	2	3	n/a
2	Keeping clean, brushing teeth, brushing hair, bathing, etc.	0	1	2	3	n/a
3	Problems getting ready for school	0	1	2	3	n/a

		Never or not at all	Sometimes or somewhat	Often or much	Very often or very much	n/a
4	Problems getting ready for bed	0	1	2	3	n/a
5	Problems with eating (picky eater, junk food)	0	1	2	3	n/a
6	Problems with sleeping	0	1	2	3	n/a
7	Gets hurt or injured	0	1	2	3	n/a
8	Avoids exercise	0	1	2	3	n/a
9	Needs more medical care	0	1	2	3	n/a
10	Has trouble taking medication, getting needles or visiting the doctor/dentist	0	1	2	3	n/a
D	CHILD'S SELF-CONCEPT					
1	My child feels bad about himself/herself	0	1	2	3	n/a
2	My child does not have enough fun	0	1	2	3	n/a
3	My child is not happy with his/her life	0	1	2	3	n/a
E	SOCIAL ACTIVITIES					
1	Being teased or bullied by other children	0	1	2	3	n/a
2	Teases or bullies other children	0	1	2	3	n/a
3	Problems getting along with other children	0	1	2	3	n/a
4	Problems participating in after-school activities (sports, music, clubs)	0	1	2	3	n/a
5	Problems making new friends	0	1	2	3	n/a
6	Problems keeping friends	0	1	2	3	n/a
7	Difficulty with parties (not invited, avoids them, misbehaves)	0	1	2	3	n/a
F	RISKY ACTIVITIES					
1	Easily led by other children (peer pressure)	0	1	2	3	n/a
2	Breaking or damaging things	0	1	2	3	n/a
3	Doing things that are illegal	0	1	2	3	n/a
4	Being involved with the police	0	1	2	3	n/a
5	Smoking cigarettes	0	1	2	3	n/a
6	Taking illegal drugs	0	1	2	3	n/a
7	Doing dangerous things	0	1	2	3	n/a
8	Causes injury to others	0	1	2	3	n/a
9	Says mean or inappropriate things	0	1	2	3	n/a
10	Sexually inappropriate behaviour	0	1	2	3	n/a

SCORING:

1. Number of items scored 2 or 3
or
2. Total score
or
3. Mean score

DO NOT WRITE IN THIS AREA

A. Family	
B. School Learning Behaviour	
C. Life skills	
D. Child's self-concept	
E. Social activities	
F. Risky activities	
Total	

This scale is copyrighted by Margaret Danielle Weiss, MD PhD, at the University of British Columbia. The scale can be used by clinicians and researchers free of charge and can be posted on the internet or replicated as needed. Please contact Dr. Weiss at margaret.weiss@icloud.com if you wish to post the scale on the internet, use it in research or plan to create a translation.



Patient Name:
Date of Birth:
Physician Name:

MRN/File No:
Date:

CADDRA Teacher Assessment Form

*Adapted from Dr Rosemary Tannock's Teacher Telephone Interview.
Reprinted for clinical use only with permission from the BC Provincial ADHD Program.*

Student's Name:	Age:	Sex:
School:	Grade:	

Educator completing this form: _____ Date completed: _____

How long have you known the student? _____ Time spent each day with student: _____

Student's Placement: _____ Special Ed: ☐ Yes ☐ No Hrs per week: _____

Student's Educational Designation: _____ ☐ None

Does this student have an educational plan?: ☐ Yes ☐ No

ACADEMIC PERFORMANCE	Well Below Grade Level	Somewhat Below Grade Level	At Grade Level	Somewhat Above Grade Level	Well Above Grade Level	n/a
READING						
a) Decoding						
b) Comprehension						
c) Fluency						
WRITING						
d) Handwriting						
e) Spelling						
f) Written syntax (sentence level)						
g) Written composition (text level)						
MATHEMATICS						
h) Computation (accuracy)						
i) Computation (fluency)						
j) Applied mathematical reasoning						
CLASSROOM PERFORMANCE	Well Below Average	Below Average	Average	Above Average	Well Above Average	n/a
Following directions/instructions						
Organizational skills						
Assignment completion						
Peer relationships						
Classroom Behaviour						

CADDRA Teacher Assessment Form

Strengths: What are this student's strengths? _____

Education plan: If this student has an education plan, what are the recommendations? Do they work? _____

Accommodations: What accommodations are in place? Are they effective? _____

Class Instructions: How well does this student handle large-group instruction? Does s/he follow instructions well? Can s/he wait for a turn to respond? Would s/he stand out from same-sex peers? In what way? _____

Individual seat work: How well does this student self-regulate attention and behaviour during assignments to be completed as individual seat work? Is the work generally completed? Would s/he stand out from same-sex peers? In what way? _____

Transitions: How does this student handle transitions such as going in and out for recess, changing classes or changing activities? Does s/he follow routines well? What amount of supervision or reminders does s/he need? _____

Impact on peer relations: How does this student get along with others? Does this student have friends that seek him/her out? Does s/he initiate play successfully? _____

Conflict and Aggression: – Is s/he often in conflict with adults or peers? How does s/he resolve arguments? Is the student verbally or physically aggressive? Is s/he the target of verbal or physical aggression by peers? _____

Academic Abilities: We would like to know about this student's general abilities and academic skills. Does this student appear to learn at a similar rate to others? Does this student appear to have specific weaknesses in learning? _____

Self-help skills, independence, problem solving, activities of daily living: _____

Motor Skills (gross/fine): Does this student have problems with gym, sports, writing? If so, please describe.

Written output: Does this student have problems putting ideas down in writing? If so, please describe.

Primary Areas of concern: What are your major areas of concern/worry for this student? How long has this/these been a concern for you?

Impact on student: To what extent are these difficulties for the student upsetting or distressing to the student him/herself, to you and/or the other students?

Impact on the class: Does this student make it difficult for you to teach the class?

Medications: If this student is on medication, is there anything you would like to highlight about the differences when s/he is on medication compared to off?

Parent involvement: What has been the involvement of the parent(s)?

Are the problems with attention and/or hyperactivity interfering with the student's learning? Peer relationships?

Has the student had any particular problems with homework or handing in assignments?

Is there anything else you would like us to know? If you feel the need to contact the student's clinician during this assessment please feel free to do so.
